

Technical data sheet

TP wall and ceiling bracket

Art.-Nr. 6365922



TP wall and ceiling bracket with clamping lugs for screwless mesh cable tray fastening.



St	Steel
FS	Strip galvanised

Additional product text, instruction	If the bracket is fastened directly to the wall or ceiling, then, for reasons of stability, always use the spacer, type DS 4. Max. side height of the cable support system 60 mm.
--------------------------------------	--

Master data

Item no.	6365922
Type	TPDG 245 FS
Description 1	Wall and ceiling strap
Description 2	for mesh cable tray
Dimension	B245mm
Material	Steel
Material symbol	St
Surface	Strip galvanised
Surface to DIN	DIN EN 10346
Surface symbol	FS
Smallest sales unit	5,00 Piece
Weight	67,00 kg/100 pc.


Technical data sheet

TP wall and ceiling bracket

Art.-Nr. 6365922



Technical data



Width	245,00 mm
Dimension B	245,00 mm
Dimension L	150,00 mm
Version	Suspension bracket (C clamp)
F in ceiling	0,80 kN
F in kN wall	0,87 kN
for width	200,00 - 200,00 mm
Suitable for tray/ladder width	200,00 mm
Suitable for maintaining electrical function	<input type="checkbox"/>
Suitable for cable tray	<input type="checkbox"/>
Suitable for cable ladder	<input type="checkbox"/>
Suitable for mesh cable tray	<input checked="" type="checkbox"/>

Appr. load:

Anchor, approved F 1.65	1,65 kN
Anchor, approved F 3.57	3,57 kN

Technical data sheet

TP wall and ceiling bracket

Art.-Nr. 6365922



Technical data

Appr. load:

Technical data sheet

TP wall and ceiling bracket

Art.-Nr. 6365922



Technical data

Appr. load: